


Osceola County 4-H Market Goat

**SKILL-A-THON REFERENCE BOOK
&
JUNIOR SKILL-A-THON ACTIVITIES**

2024-2025



UF | **IFAS Extension**
UNIVERSITY of FLORIDA



GOAT SKILL-A-THON

Introduction

This manual is provided as a *study guide* for the skill-a-thon competition and should be used as an additional aid to ongoing educational programs. Sections are labeled **Junior, Intermediate, Senior, & Bonus** to help exhibitors and educators identify which materials are required for their age level. The topic for this year's Skill-a-thon is **cuts of meat and by-products**.

Topics for the Knowledge and Skills Stations may include the following:

Juniors (age 8-10 as of September 1, 2024)

Body parts
Breeds
Structure
Goat By-Products
Wholesale Cuts of Meat
Retail Cuts of Meat

Intermediates (age 11-13 as of September 1, 2024)

All of the above

Seniors (age 14 and over as of September 1, 2024)

All of the above plus....

Parts of a Feed Label

Bonus For All

Knots

The contest will be held on **January 29, 2025, from 2:00 p.m. until 6:00 p.m. at the Osceola County Extension Office.**

The contest will be held on January 29, 2025, from 2:00 p.m. until 6:00 p.m. at the Osceola County Extension Office .

KVLS Skill-a-thon Rules for 2024-2025

1. **Market exhibitors who do not make the 3.25 grade point requirement must take the Skill-a-thon in their project area for the animal that they are showing in order to participate in the market programs**, i.e. steer exhibitors must take the Steer Skill-a-thon. Any exhibitor who does not meet the required grade average on their report card or who does not have a report card must score 70% on the Skill-a-thon to participate in the Market Animal Program.
2. All exhibitors must take the Skill-a-thon for the first time on their own, then a reader can be requested the second time, if a passing grade is not achieved.
3. Awards will be given on the score of the first Skill-a-thon taken. Top awards are only given for passing scores (70% or above).
4. Only those exhibitors who do not make a 3.25 grade point requirement are required to take and make a passing score of 70% or above in order to participate in the market animal program.
5. Exhibitors must stay in the testing room once they have signed up to take the Skill-a-thon.
6. Exhibitors showing a second animal must stay in the testing room to take the second animal Skill-a-thon.
7. No parents or other adults not on the Committee are allowed in the Skill-a-thon room.
8. No exhibitors are allowed to have cell phones while in the Skill-a-thon room.
9. No time limit will be imposed on the exhibitors.
10. Skill-a-thon handbooks will be given at the start of the project.

KVLS Awards


There will be a Junior (8-10), Intermediate (11-13), Senior (14 - graduate from High School) division for the contest. Within each division, 1st, 2nd and 3rd place will receive rosette ribbons and a monetary award.

Training Show Animals

It is important your goats are well behaved and easy to handle at the shows. If your animal misbehaves or is easily spooked, it will be difficult for you to present it successfully.

- Halter breaking is a convenient way to begin the gentling process. It is best to teach your animal to lead by a chain. Halters are acceptable for small children. However, a chain is thought to maintain more control of the animal. Furthermore, it is more effective at showing off the animal. It is necessary for the animal to be comfortable with its chain. The goat must be caught and tied up with the halter or chain. Make sure to tie the goat where he/she can not get hurt. This should be repeated until the goat is calm and comfortable with the collar on.
- Once the goat is comfortable with the halter or collar, it is time to teach it to lead. Use the collar to hold the goat's head high. You will need someone to push the goat from behind. When a goat is leading properly, its shoulders will be even with your leg and its head will be in front of your body. The goat should lead freely without tension on the chain.
- As the goat learns to lead, you can begin training it to set up. This involves teaching the goat to stand properly when not moving in the show ring. While keeping the body and neck straight, set the front legs squarely beneath the chest. Then, place the hind legs so the goat is standing square and naturally. Make sure to keep the head held high and in alignment with the body.
- Proper training will teach the goat to set his/her legs up square each time the goat is Stopped
- Goats can be trained to respond to subtle cues for the more experienced showman
- After you have trained your goat, it will be helpful to practice often. Have a partner act like the judge. Your partner can move around the ring and handle the animal in order to give both you and your animal practice.
- By the time you take the goat to the show, the goat should stand squarely each time stopped, always lead freely and be accustomed to people.


Goat Topline Structure



Wavy Back

Ideal Back

Sway Back



Roached Back

Weak in the Chine

General Information

Fitting and Grooming

As with training, fitting and grooming begins months before the show. Fitting your goat, is making sure the goat is healthy, properly cared for and in desired condition. Good condition means that the goat has good muscle tone and is not too thin or too fat. Through practice you will learn to evaluate the different degrees of fat cover and muscle tone. Fat feels soft and loose. Muscle feels shapely and firm. Both fat cover and muscle can be monitored and changed through diet and exercise. As discussed earlier, a balanced ration is important. However, as each goat is different it may be necessary to adjust the amount of feed the goat receives. Exercise may be a more effective and healthier method of keeping your goat in good shape.

The purpose of these goats is to produce meat, meat is muscle, and therefore a goat has to build muscle tone. Just like humans, goats build muscle through exercise. If a pen is big enough, a goat can get plenty of exercise on its own. However, it never hurts to provide additional exercise for your animals. Some facilities have the feed trough on one end of the pen and the water source on the other in order to ensure the goat must walk from one end of the pen to the other. Other people build circular tracks and exercise their goats around it.

There is no fool proof plan for an exercise program. It is important to develop a program that fits your situation. The main requirement for an exercise program is safety. It is most effective to exercise the goat intensely for a short amount of time. Therefore, whatever setup you choose to use, make sure that the obstacles are free of harmful edges and wires. It is helpful to make rounded corners in any tracks and to make the sides solid so the animals can only see forward. This will help keep them from trying to jump out and possibly hurting themselves.

Goat grooming can be divided into three different tasks: washing, clipping, and foot care. Each of these tasks need to be done close to show time. However, by brushing your goat's hair on a regular basis in the month prior to the show, you will keep the hair coat healthier.

To wash your goat, you will need:

- A collar for leading and tying the goat.
- A hose and a bucket
- Mild soap
- A scrub brush
- A couple of towels or some other way to dry the goat.


Wash your goat similar to how you wash a dog. Tie the goat to a post or fence. Make sure the goat will not be standing in a puddle and will stay clean while washing. Do not put the soap directly on the goat. Instead mix soapy water in the bucket and pour it on the wet goat. Once the goat is clean, finish your job by drying the animal.

To clip your goat, you will need:

- Livestock clippers and/or sheep shears
- 20 to 23 tooth combs
- Oil for clippers
- Scissors (for hard-to-reach places)
- A spray bottle (for wetting the hair)
- A trimming table
- An extension cord

Wash your goat immediately before clipping. After washing the goat, put it on the trimming table and towel dry. It is best to clip the goat while it is clean and slightly damp. Dirty hair is tough on your clippers. Damp hair is easier to clip smoothly. Clip all of the hair on the body except for the tail and below the hocks and knees. Use long, smooth strokes to clip your goat. Use vertical strokes on the legs and horizontal strokes on the body (see Figure 5).

Figure 5: Goat Shearing Diagram



Source: The Wyoming 4-H Meat Goat Manual

Only the top one third of the hair on the tail should be removed. The remaining hair should be blended into the clipped part and cut to about $\frac{1}{2}$ ". The hair on the underside to the tail should then be clipped and blended with the rest.

The hair on the knees and hocks should also be blended with the clipped part of the goat's body. Use the scissors to trim long hairs and make the legs look smooth and well fit.

Use your clippers or small animal clippers to remove the hair from around the goat's eyes, ears and face. You can also use the scissors to get hard to reach places and


smooth out rough spots.

To trim your goat's feet you will need:

- Foot trimmers
- Foot care medication
- A collar
- Someone to help hold the goat

The wall of the foot should be trimmed so that it is level with the sole of the foot. See figure 6. The feet should be trimmed a couple of times before the final trimming. This is to give both you and the goat practice. The final trimming should be done at least 14 to 21 days before the show. This allows time for any healing.

Figure 6: Diagram for trimming goat's feet



COMMON LIVESTOCK TERMS


BILLY:	Intact male Goat (Buck)
CARCASS:	The dressed body of slaughtered meat animal, offal having been removed
FINISH:	Refers to the amount of external fat covering on an animal.
MARBLING:	Refers to flecks of fat distributed within the muscle.
MILKING ABILITY:	Refers to the amount of milk an animal can produce
STAG	Male castrated after developing secondary sexual characteristics.
CUTABILITY:	Yield of closely trimmed retail cuts from major wholesale cuts
PALATABILITY:	Agreeable to taste, tasty
POLLED:	Naturally hornless
PARASITES:	Organisms living on other organisms, doing harm.
DOE	A mature female goat.
ANIMAL WELFARE:	Refers to proper care and management of animals
RUMINANT:	An animal which has a four compartment stomach
FABRICATION:	Process of cutting Goat carcasses into wholesale cuts
SUB-Q:	Subcutaneous injections (under the skin)
WETHER	A male goat that was castrated before becoming sexually mature; Unable to breed

BASIC LIVESTOCK TERMS

1. Condition, Finish or Covering – All are used to denote fat. The terms “finish” and “covering” are used to describe fat on market animals, while “condition” is used when describing breeding stock.
2. Growthiness – The characteristics of having size and weight at a certain age.
3. Balance or Symmetry – A proper proportion and blending of parts of the animal. Balance or symmetry is evaluated from a side view.
4. Ruggedness, Stoutness – The quality of being heavy or large boned. This is usually determined by the size of the cannon bone (from the knee to the ankle).
5. Quality – A general term that combines smoothness and refinement. Refinement of hair coat, freedom of wrinkles in hogs and freedom of roughness, patchiness in cattle indicates quality.
6. Scale – The size of the animal as determined by skeletal structure, independent of weight. The height, length and width of the animal.
7. Style – The general eye-appeal or attractiveness of the animal (includes balance, structural correctness and quality).
8. Broodiness – Female breeding stock term that means she has a favorable combination of characteristics to be a good mother. Depth, capacity, prominence of teats and/or mammary system, stoutness and correctness of vulva.
9. Breed Character – Characteristics that separate breeding stock of one breed from other breeds, primarily by differences of the head: shape, length, dish of face, width of muzzle, shape of poll and ears, color markings and wool covering in sheep.
10. Trimness - Freedom from fat or finish.
11. Meatiness/Muscling – Having a high proportion of muscle in the areas of the high-priced cuts. This is shown primarily by the relative width, length and fullness of the quarter, leg or ham, and by the thickness and fullness through the rib, rack or loin.
12. Type – A combination of characteristics that make an animal useful for a specific purpose. Determined by the general shape and form of an animal. Desirable types are constantly changing.
13. Tight Framed - The ability of the animal to hold itself together. Indicated by a strong top (back), tightness of shoulder and squareness of feet and leg placements.
14. Structural Soundness – The desirability or correctness of the skeletal structure, with major emphasis on straightness of top and proper feet and leg structure.
15. Femininity – Characteristics that distinguish the female from the male. Indicated by refinement of the head, neck and shoulders.
16. Masculinity – Characteristics that distinguish the male from the female. Indicated by boldness or massiveness of head and chest, thickness of the neck and development of the forequarters.

PARTS OF A GOAT

Juniors, Intermediates, & Seniors



Juniors, Intermediates, & Seniors

BREED IDENTIFICATION



BOER

This breed originated around the late 1950's and is characterized by excellent early growth rates, high weaning rates, and early maturity. These goats have exceptional maternal qualities, and kidding is possible every eight months. Their sturdy legs allow them to move easily through rugged terrain and to withstand a wide range of climatic conditions. They are best known for their production of low-fat meat.



KIKO

These goats were bred up on a base of feral goat stock in New Zealand. They were selected for survivability under range conditions. The Maori word "Kiko" means simply flesh or meat. Kiko's breed year round.



SPANISH MEAT

Also sometimes called brush goats, they are the descendants of goats first brought to North America by European explorers. They are a medium sized goat; short, stocky and heavily muscled. Spanish meat goats are very hardy and can come in a variety of colors. They breed year round.



SAVANNA

The Savanna goat was developed in the 1950s from native goats of Southern Africa on the rugged harsh bush country where temperatures and rainfall can vary greatly. This breed was developed to thrive in a minimum-care, Savannah environment. The results are a goat that is fertile, heat- and pest-tolerant and drought resistant with good meat quality. They are year-round breeders.



MYOTONIC

These are famously known as Tennessee Fainting goats or Stiff-Leg goats. The goats are myotonic—their muscles become stiff when they are frightened, and as a result, they fall. The Tennessee Wooden Leg is one of the very few goat breeds that originated in the United States. The goats are primarily used for meat, although they are also kept for milk and make one of the most popular pet breeds. They are medium-sized goats with broad, muscled body and short-medium coat. The face profile is straight with non-pendulous ears.




KALAHARI RED

This breed originated in South Africa. Their name is derived from their red coat and the Kalahari Desert. They are generally used for meat production. Their long ears provide good heat resistance. These goats can give birth every eight months.

STRUCTURAL DIFFERENCES FRONT & REAR VIEW ACTIVITY

Front Legs




Buckled Knees

Ideal

Knock-Kneed

Rear Legs




Cow-Hocked


Ideal

Bowlegged


STRUCTURAL DIFFERENCES SIDE VIEWS ACTIVITY




Ideal Rear Legs



Post-Legged



Sickle-Hocked



Weak Pasterns

STRUCTURAL DIFFERENCES DESCRIPTIONS

Buck-kneed	When the calf is "over at the knees" or buck-kneed, full extension of the knee cannot occur when observed from the side. This is usually seen in cattle that are also too straight in their shoulder.
Calf-kneed	This is the other extreme, where the calf stands "back at the knees" when viewed from the side.
Weak Pastern	Having an angle greater than 45 degrees in the pastern/hoof alignment, putting too much pressure on the joint.
Postlegged	The hock has too little angle or set. The calf is too straight through the joint, resulting in very stiff, constricting movement because of the lack of flexibility. More cattle become unsound because of being postlegged than sickle hocked.
Sickle-hocked	When viewing the rear legs from the side, the hock has too much angle or set, causing the steer to stand too far underneath itself. Often these calves also will droop excessively from hooks to pins.
Bowlegged	When viewed from the front or rear, the knees set too far out.
Knock-kneed	When viewed from the front, the knees are close together.
Toed-out (splayfooted)	The feet toe out away from each other. This problem is often seen in extremely light-muscled, narrow-chested cattle, where the legs are naturally set too close together.
Toed-in (pigeon-toed)	Toes turn in towards each other.
Cow-hocked	When viewing the rear legs from the rear, the hocks are turned in or placed too close together.

Animal By-Products

Everything but the maaaaah! Animal by-products are anything of economic value other than the carcass that comes from animals during harvest and processing. They are classified as edible or inedible for humans. There may be some disagreement about what is edible but we can all agree that there are many uses for what is left after the carcass is rolled into the cooler. In developing countries by-products may become jewelry, religious implements, tools, fuel, construction material, fly swatters, or musical instruments. In developed countries, advances in technology have created many products from non-animal sources (synthetics) which compete with animal by-products, thus reducing their value. Still, byproducts represent multibillion dollar industries in the United States and other developed countries. An added benefit of changing inedible parts of carcasses into useful products is that the decaying materials don't pile up and cause environmental problems.

Hide & Hair

Leather goods
Plywood
Brushes
Insulation
Felt
Sandpaper
Plaster binder
Upholstery

Intestines

Sausage casings
Instrument strings
Surgical sutures

Milk

Butter
Cheese
Yogurt
Ice cream

Fat and Fatty Acids


Rubber
Soap
Plastic
Crayons
Chalk
Matches
Chewing gums
Cement

Manure

Fertilizer

Wholesale Cuts of Goat

Fabrication of carcasses is the cutting of the carcass into wholesale and retail cuts for distribution to various markets. The size of the carcass and the preferences of the customer will determine how it is fabricated. For goat carcasses, wholesale cuts come from standard cutting methods developed to: a) Separate fat from lean portions b) Separate tough from tender sections c) Separate thick from thin sections d) Separate valuable from less valuable cuts e) Separate retail cuts by cutting across the grain.




Primal Cuts

Of the wholesale cuts, those that are lean, tender, thick, and valuable and that contain a large proportion of their muscles running in the same direction are called primal cuts. The **primal goat cuts are shoulder, rack, loin and leg.**

Retail Cuts of Goat

Currently, the United States Department of Agriculture (USDA) does not have official grades and standards assigned for retail cuts of goat meat as beef, pork, and lamb do. Typically goats are marketed at 60-80 pounds live weight and will yield 45-50% of that live weight as the carcass. This is the dressing percentage which is the amount of live weight that will enter the cooler as the carcass. Goat meat is a red meat and, when compared to beef, is a lean product because it has a less subcutaneous and intramuscular fat. This can also mean some cuts will be less tender. The loin is the most tender cut of goat meat. Fat thickness over the ribeye muscle is measured between the 12th and 13th ribs to show ribeye and loin quality. Cooking methods vary for goat meat. Meat derived from adult goats is often referred to as chevon and meat from the young goat is called cabrito.

As a general rule, **goat meat cuts are similar to lamb cuts.**



Lamb Retail Identification Cuts

Breast



Ribs (Denver Style)

Junior, Intermediate, Seniors

UF IFAS Extension
UNIVERSITY of FLORIDA



Leg



American Style



Center Slice



Frenched Style



Leg Roast (Bnls)



Sirloin Chop



Sirloin Half

Loin



Loin Chop



Loin Roast

Cookery Method



Dry



Dry/Moist



Moist

Rib



Rib Chop



Rib Chop (Frenched)



Rib Roast



Rib Roast (Frenched)

Shoulder



Arm Chop



Blade Chop



Square Cut (Whole)

Various



Shank

Variety Meat Retail Identification Cuts

Heart/ Kidney



Beef Heart



Pork Heart



Lamb Heart



Beef Kidney



Pork Kidney



Lamb Kidney

Liver/ Oxtail



Beef Liver



Pork Liver



Lamb Liver



Oxtail

Tongue/ Tripe



Beef Tongue



Pork Tongue



Lamb Tongue



Tripe

Feed Label Information

A commercial law requires each bag or bulk load to be accompanied by a label showing several key items:

- Net weight
- Product name and brand name
- Drug additives
- Guaranteed analysis of the feed – crude protein, crude fat and crude fiber must be guaranteed on all feeds except straight mineral or vitamin supplements, molasses or drug compounds.
- Minimum percentage of crude protein, percentage of equivalent protein from non-protein nitrogen, if any. The amount of crude or total protein in a feed is guaranteed. Crude protein is determined by multiplying the nitrogen content of a feed by the factor 6.25.
- When non-protein nitrogen (NPN) is applied to feedstuffs, a statement “for ruminants only” must appear underneath the name of the feed. Additionally, it must also have a guarantee for crude protein which has been supplied from non-protein nitrogen.
- Minimum crude fat content – Fat has an energy value approximately 2.25 times the value of carbohydrate feedstuffs.
- Maximum crude fiber content – Crude fiber is a measure of the indigestible or non-useful portion of a feed. Feeds having low fiber values tend to be higher in digestible energy or total digestible nutrients than those feeds having high fiber values.
- Minerals – feeds containing 6.5 percent or more minerals must show a guarantee of: calcium – minimum and maximum; phosphorous- minimum; salt – minimum and maximum
- Vitamins, only if guaranteed
- Common and usual name of each ingredient or the collective term for each grouping of feed ingredients
- Directions for use and cautionary statements
- Name and principle mailing address of the manufacturer

50 lbs net weight

Brand Name Show Feed
(for ruminants only)

Medicated

Feed for 28 days as an aid in the maintenance of weight gains in the presence of respiratory diseases, such as shipping fever.

Caution: Use only as directed.
Discontinue use 14 days prior to slaughter.

Active Drug Ingredients:
Chlortetracycline 7.6 grams/ton

Guaranteed Analysis

CRUDE PROTEIN, not less than 12%

This includes not more than 1.00% equivalent crude protein from non-protein nitrogen.

CRUDE FAT, not less than 2.0%

CRUDE FIBER, not less than 19%

Ingredients: Grain products, roughage products, plant protein products, processed grain by-products, forage products, molasses products, calcium carbonate, salt, vitamin E supplement, vitamin A supplement, ferrous sulfate, potassium iodide, manganese oxide copper chloride, cobalt glucoheptonate, vitamin D3 supplement, sodium selenite.

RUMINANT MEAT AND BONE MEAL FREE

FEEDING DIRECTIONS: Feed at the rate of 12 pounds per head per day.

MANUFACTURED BY:
The Best Feed Company
P. O. Box 00000
Small Town, USA





Knots for Livestock Handling

There are many circumstances in swine handling that will require you to tie knots. Take the time to learn to tie several types of knots and hitches so that you will have the right knot for the right circumstance. Practice often so that it becomes second nature. In an emergency situation, you do not want to have to think about which knot to choose and how to tie it.

Knots join ropes together, attach ropes to a post or rail, or attach ropes to an animal.

Hitches are used to attach a rope to a post or rail - only thing securing the rope to post is the pressure of one rope coil wrapping upon the others.

Splices are used to permanently join ropes to one another - individual strands from each rope are interwoven with strands from the other.

	
<p>Reefer's Knot (<i>Quick-Release Square Knot</i>) A good non-slip knot for tying ends of rope together and can easily be released. An advantage is that it can be tied under tension - an important feature for a knot used to restrain livestock.</p>	<p>Bowline Knot A non-slip knot used to form a loop that will not tighten or draw down when placed around an animal's body or a post.</p>
	
<p>Quick-Release Knot The standard way to tie an animal to a post. A variation of a slipknot that can be released very quickly, even when under tension. This knot should never be tied around the neck or body of an animal.</p>	<p>Double Half Hitch A quick and easy knot which acts like a slipknot and is a convenient way to tie up the end of a rope.</p>

Activities

It is recommended that you complete the six activities provided in this skill-a-thon book to help prepare you for the skill-a-thon. **The activities are very similar to what you should expect during the skill-a-thon and can be used for practice.**


4-H Members Only: After you have completed an activity you should record it in your record book using the table on the 4-H Project Book/ Activities page or you can attach the activity pages you have completed in the record book. Before turning into 4-H in May have your leader sign the Activity Page showing they have seen your six (6) completed Activities.

JUNIOR GOAT BODY PARTS

ACTIVITY #1


Write in the name below that corresponds to the correct part of the animal.

Ear	Chest
Poll	Neck
Muzzle	Rump
Tail Head	Barrel
Hoof	Withers



JUNIOR GOAT BREEDS ACTIVITY #2


Use the breed pictures in the skill-a-thon book to color in each animal.
List two interesting facts about each breed.



Breed: Spanish

*


*



Breed: Boer

*


*



Breed: Kiko

*

*



Breed: Savanna

*


*

STRUCTURAL DIFFERENCES FRONT & REAR VIEW ACTIVITY #3


Fill in the blank with the correct LEG Structure

IDEAL KNOCK-KNEED BOWLEGGED
COW-HOCKED BUCKLED KNEES IDEAL

Front Legs



Rear Legs



STRUCTURAL DIFFERENCES SIDE VIEWS ACTIVITY#3


Fill in the blank with the correct Leg Structure


POST-LEGGED


IDEAL


WEAK PASTERNS

SICKLE-HOCKED










JUNIOR MARKET GOAT ANIMAL

BY-PRODUCT ACTIVITY #4

Circle the items below that are goat by-products.



JUNIOR MARKET GOAT
WHOLESALE CUTS – ACTIVITY #5
Enter the correct number by the corresponding
cut of meat

_____ Leg
_____ Loin
_____ Shoulder
_____ Breast & Flank



Junior Retail Cuts of Goat

Activity #6

Write the retail cut in the blank.



Retail cut: _____



Retail cut: _____



Retail cut: _____



Retail cut: _____